Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	158	(725/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 10:08
S1	12	(television or catv) and ((broadcast near2 time) same (clock) same compar\$5 same (error or difference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:03
S2	1	(television or catv) and ((estimat\$3 with (broadcast near2 time)) same (clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:06
S3	19	(television or catv) and ((estimat\$3 with (broadcast near2 time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:03
S4	8	((estimat\$3 with (broadcast near2 time)) same (clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:07
S5	99	(broadcast\$3 same ((calulat\$3 or estimat\$3) with time) same clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:09
S6	15	(broadcast\$3 same ((calulat\$3 or estimat\$3) with time) same (internal near3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:10
S7	10	(broadcast\$3 same ((calulat\$3 or estimat\$3) with time) same (clock)) and (television or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:16

S8	0	(epg same ((calulat\$3 or estimat\$3) with time) same (clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:15
S9	5	(epg same ((calulat\$3 or estimat\$3) with time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:15
S10	1	(broadcast\$3 same ((calulat\$3 or estimat\$3) with time) same (clock)) and (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:19
S11	13	(calculat\$3 with estimat\$4 with (broadcast\$3 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:19
S12	136	(digital near2 television) and ((calculat\$3 near2 time) same difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:15
S13	36	(digital near2 television) and ((calculat\$3 near2 time) same difference same clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:16
S14	14	(digital near2 television) and ((calculat\$3 near2 time) same difference same clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:19
S15	2	(digital near2 television) and ((calculat\$3 near2 error) same time same difference same clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:19

C1C	42	Adapta Canada Cuna Indiath	LIC DCDLID	OD	ON	2006/01/12 14:22
S16	13	(digital near2 television) and (calculat\$3 same error same time same difference same clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:23
S17	6	S16 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:20
S18	9	(digital near2 television) and ((extract\$3 near3 time) same difference same clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:33
S19	10	(digital near2 television) and ((extract\$3 near3 time) same (comparison or compar\$3) same clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:58
S20	32	(digital near2 television) and ((comparison or compar\$3) same ((updat\$ or modif\$4) with clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:56
S21	3	(television) and ((extract\$3 near3 time) same (comparison or compar\$3) same updat\$3 same clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:59
S22	33	(television) and ((extract\$3 near3 time) same (comparison or compar\$3) same clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:59
S23	19	(television) and ((extract\$3 near3 time) same (comparison or compar\$3) same clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:03

S24	33	(television) and ((extract\$3 near3 time) same (comparison or compar\$3 or difference) same clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:04
S25	41	(television) and (extract\$3 near3 time) and ((comparison or compar\$3 or difference) with time) and ((updat\$3 or calculat\$3 or estimat\$3) near3 clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:06
S26	4	(digital near2 television) and (extract\$3 near3 time) and ((comparison or compar\$3 or difference) with time) and ((updat\$3 or calculat\$3 or estimat\$3) near3 clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:09
S27	41	(television) and (extract\$3 near3 time) and ((comparison or compar\$3 or difference) with time) and ((updat\$3 or calculat\$3 or estimat\$3) near3 clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:24
S28	343	(television) and ((system or internal) near2 clock) and ((estimat\$3 or calculat\$3) near3 time) and ((extract\$3 or remov\$3) near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:25
S29	138	(digital adj television) and ((system or internal) near2 clock) and ((estimat\$3 or calculat\$3) near3 time) and ((extract\$3 or remov\$3) near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:26
S30	65	(digital adj television) and ((system or internal) near2 clock) and ((estimat\$3 or calculat\$3) near3 time) and ((extract\$3 or remov\$3) near3 time) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:26
S31	55	(digital adj television) and ((system or internal) near2 clock) and ((estimat\$3 or calculat\$3) near2 time) and ((extract\$3 or remov\$3) near2 time) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:39

S32	23	(television) and (pcr same ((calcuat\$3 or estimat\$3) near2 time) same clock) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 15:40
S33	27	(daylight adj saving) and (stt or stb or (set adj top adj box)) and ((time or clock) near3 (updat\$3 or estimat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:12
S34	4	((contain\$4 or includ\$3) near3 (daylight adj saving)) and (stt or stb or (set adj top adj box))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 10:53
S35	23	((contain\$4 or includ\$3) near3 (daylight adj saving)) and (television or tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 10:53
S36	20	S35 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 10:53
S37	793	(television or tv) and (stor\$3 with (time near3 difference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:13
S38	91	(television or tv) and (stor\$3 near3 (time adj difference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:13
S39	61	(television or tv) and (stor\$3 near3 (time adj difference)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:14

S40	0	(television or tv) and ((stor\$3 near3 (time adj difference)) same (updat\$3 with clock)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:14
S41	0	(television or tv) and ((stor\$3 near3 (time adj difference)) same (updat\$3 with time)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:14
S42	11	(television or tv) and ((stor\$3 near3 (time adj difference)) same (updat\$3)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:17
S43	3	(television or tv) and ((memory with (time adj difference)) same (updat\$3)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:17
S44	8	(television or tv) and ((memory with (time near3 difference)) same (updat\$3)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:35
S45	3	(television or tv) and ((memory with (time near3 offset)) same (updat\$3)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:36
S46	274	(television or tv) and ((time near2 offset) with (memory or stor\$3 or backup))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:37
S47	154	(television or tv) and ((time near2 offset) with (memory or stor\$3 or backup)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:38

S48	67	(television or tv) and ((time adj offset) with (memory or stor\$3 or backup)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:38
S49	15	(television or tv) and ((time adj offset) near3 (memory or stor\$3 or backup)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:43
S50	0	(television or tv) and (((time adj offset) with (memory or stor\$3 or backup)) same (power adj (off or loss))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:44
S51	0	(television or tv) and (((time near3 offset) with (memory or stor\$3 or backup)) same (power adj (off or loss))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:44
S52	0	(television or tv) and (((time near3 offset) with (memory or stor\$3 or backup)) same (power near3 (off or loss))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:44
S53	5	(television or tv) and (((offset) with (memory or stor\$3 or backup)) same (power near3 (off or loss))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:44
S54	8	(television or tv) and (((time near3 difference) with (memory or stor\$3 or backup)) same (power near3 (off or loss))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:51
S55	0	((time near2 difference) with (stor\$3 or memory or backup)) same (loss near3 connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:52

S56	1	((time near2 difference) with (stor\$3 or memory or backup)) same (loss with connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:53
S57	8217	((time near2 difference) with (stor\$3 or memory or backup))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:53
S58	1053	((time near2 difference) with (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) near2 (clock or time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:54
S59	287	((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) near2 (clock or time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:55
S60	151	((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) adj (clock or time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:55
S61	85	(((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) adj (clock or time))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:56
S62	2	(((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) adj (clock or time))) and @ad<"20010131" and (television or tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/01/17 12:00
S63	0	(((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) adj (clock or time))) and @ad<"20010131" and ((set adj top adj (box or terminal)) or stt or stb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:00

S64	62	(((time near2 difference) with (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) near3 (clock or time))) and @ad<"20010131" and ((set adj top adj (box or terminal)) or stt or stb or tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:01
S65	18	(((time near2 difference) with (stor\$3 or memory or backup)) same ((updat\$3 or calculat\$3 or estimat\$3) adj (clock or time))) and @ad<"20010131" and ((set adj top adj (box or terminal)) or stt or stb or tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:04
S66	48	(((time near2 difference) with (stor\$3 or memory or backup)) same (updat\$3 adj (clock or time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:05
S67	26	(((time near2 difference) with (stor\$3 or memory or backup)) same (updat\$3 adj (clock or time))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:23
S68	2057	((time adj difference) near4 (stor\$3 or memory or backup))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:24
S69	1573	((time adj difference) near3 (stor\$3 or memory or backup))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:24
S70	56	(((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or estimat\$3) near2 (time or clock)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:25
S71	26	(((time adj difference) near3 (stor\$3 or memory or backup)) same ((updat\$3 or estimat\$3) near2 (time or clock))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:11

S72	4	(((lose or loss) near2 connection) same ((updat\$3 or estimat\$3) near2 (time or clock))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:12
S73	43	((offline) same ((updat\$3 or estimat\$3) near3 (time or clock))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:13
S74	7	((offline) same ((updat\$3 or estimat\$3) near3 (time or clock))) and @ad<"20010131" and (television or tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:15
S75	0	((offline) same ((updat\$3) with (clock))) and @ad<"20010131" and (television or tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:16
S76	1	((offline) same ((updat\$3) with (clock))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:17
S77	34	(stor\$3 with (previous or last) with (time or clock)) same (offline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:20
S78	0	(stor\$3 with (previous or last) with (time or clock)) same (offline) same (updat\$3 adj clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:20
S79	0	(stor\$3 with (time or clock)) same (offline) same (updat\$3 adj clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:20

		•				
S80	0	(offline) same (updat\$3 adj clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:21
S81	0	(offline) same (updat\$3 adj (clock or clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:21
S82	0	(off adj line) same (updat\$3 adj (clock or clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:21
S83	20	(offline) same (updat\$3 adj (clock or time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:31
S84	23	((lose or loss) same (updat\$3 adj (clock or time))) and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:38
S85	1782	(last or previous) with (time adj difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:39
S86	618	(last or previous) near3 (time adj difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:39
S87	51	((last or previous) near3 (time adj difference)) same clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:39

S88	39	(((last or previous) near3 (time adj	US-PGPUB;	OR	ON	2006/01/17 13:39
		difference)) same clock) and @ad<"20010131"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S89	5	(((last or previous) near3 (time adj difference)) same clock) and @ad<"20010131" and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:40
S90	1	(((recorded) near3 (time adj difference)) same clock) and @ad<"20010131" and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:41
S91	0	(((last or previous or recorded) near3 (time adj difference)) same (system adj clock)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:42
S92	4	(((last or previous or recorded) with (time adj difference)) same (system adj clock)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:43
S93	2158	((time adj difference) with (memory or storage or backup)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:45
S94	197	((time adj difference) with (memory or storage or backup)) and @ad<"20010131" and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:45
S95	32	(((time adj difference) with (memory or storage or backup)) same clock) and @ad<"20010131" and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:26

S96	1475	(time adj difference) near3 (backup or recorded or memory or stored or storing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:27
S97	204	((time adj difference) near3 (backup or recorded or memory or stored or storing)) same (clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:28
S98	14	((time adj difference) near3 (backup or recorded or memory or stored or storing)) same ((updat\$3 or estimat\$3) with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:42
S99	21	(extract\$3 adj time) same memory same (calculat\$3 near3 (time or clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:43